



COVER LEVEL	66.733	66.297	66.792	66.955	66.710	66.778	66.915	66.977	66.058	66.270	66.566	66.639	66.961	66.985
INVERT LEVEL	67.430	67.403	67.278	67.206	67.134	67.102	66.882	66.886	66.821	67.193	67.802	68.873	68.972	69.682
DEPTH (m)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
DISTANCE (m)	7.33	27.64	15.79	15.79	7.20	48.38	3.50	10.00	28.61	46.84	46.26	7.40	17.70	
PIPE SLOPE	1:279	1:220	1:220	1:220	1:220	1:220	1:220	1:220	-1:77	-1:77	-1:53	-1:25	-1:25	
PIPE SIZE	97mm	97mm	97mm	97mm	97mm	97mm	97mm	97mm	97mm	97mm	97mm	97mm	97mm	

- NOTES:
- ALL DRAWINGS TO BE CHECKED BY CONTRACTOR ON SITE AND ENGINEER INFORMED OF DISCREPANCIES BEFORE WORK COMMENCES
  - ALL LEVELS ARE IN METRES AND ARE RELATED TO ORDNANCE DATUM
  - CONTRACTOR SHALL SATISFY HIMSELF AS TO THE ACCURACY OF PAVEMENT LEVELS ON SITE PRIOR TO COMMENCEMENT OF WORKS ON SITE
  - ALL WORKS TO BE CONSTRUCTED IN ACCORDANCE WITH THE NRA SPECIFICATION FOR ROAD WORKS UNLESS NOTED OTHERWISE
  - THIS DRAWING IS FOR PLANNING PURPOSES ONLY
  - MANHOLE COVER LEVELS ARE TO CONFORM WITH FINISHED ROAD AND PATH LEVELS
  - WHERE COVER TO PIPE IS LESS THAN 1200mm (ROAD/PATH/VERGE) OR 900mm (OPEN SPACE) SURROUND PIPE IN MINIMUM 150mm CONCRETE

KEY

----- EXISTING GROUND PROFILE  
 \_\_\_\_\_ PROPOSED GROUND PROFILE

REV.	DATE	DESCRIPTION	BY	CHKD.
<b>PLANNING</b>				

DESIGNED	BK	PREPARED	GMC
DATE	AUG 2018	CHECKED	DJR

DUBLIN OFFICE: Ormond House, Upper Ormond Quay, Dublin 7, Ireland. PHONE +353 1 400 4000 FAX +353 1 400 4050  
 WATERFORD OFFICE: Unit 2, The Chandlery, 1-2 O'Connell Street, Waterford, Ireland. PHONE +353 51 309 500 FAX +353 51 844 913  
 DBFL Consulting Engineers email: info@dbfl.ie site: www.dbfl.ie

PROJECT  
**LANDS AT CAPDOO, CLANE, CO. KILDARE**

DRG. TITLE  
**LONGITUDINAL SECTIONS THROUGH RISING MAIN**

CLIENT  
**ARDSTONE RESIDENTIAL FUND**

SCALE	1:500 @A1	FILE REF.	162074-3020
-------	-----------	-----------	-------------

DRG. NO. **162074-3041**